

DECLARATION OF PERFORMANCE

No.: Rifix_Ansetzbinder_LE_2206

- (1) *Unique identification code of the product-type*
Rifix Ansetzbinder
- (2) *Intended use/es*
Gypsum based adhesive for thermal/acoustic insulation composite panels and plasterboards for general building construction

- (3) *Manufacturer*
**Saint-Gobain Rigips GmbH
Schanzenstr. 84
D-40549 Düsseldorf**
- 

- (4) *Authorised representative*
N/A

- (5) *System/s of AVCP*
System 4

- (6a) *Harmonised standard*
EN 14496:2005

Notified body/ies
Internal

- (6b) *European Assessment Document*
N/A

European Technical Assessment
N/A

Technical Assessment Body
N/A

Notified body/ies
N/A



(7) Declared performance/s


Essential characteristics	Performance
Reaction to fire (R2F)	A1
Bond strength	> 0.06 MPa
Dangerous substances	NPD

(8) Appropriate Technical Documentation and/or Specific Technical Documentation
N/A

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Düsseldorf, 28. January 2022



Raimund Heini, Managing Director



Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany

CE	
Saint-Gobain Rigips GmbH Schanzenstr. 84 D-40549 Düsseldorf	
13	
Rifix_Ansetzbinder_LE_2206	
EN 14496:2005	
Gypsum based adhesive for thermal/acoustic insulation composite panels and plasterboards for general building construction	
Notified body/ies: N/A	
Reaction to fire (R2F)	A1
Bond strength	> 0.06 MPa
Dangerous substances	NPD

