


DECLARATION OF PERFORMANCE

 No.:
Rigips „Klick_Fix“_Direktbefestiger_fuer_C_Deckenprofile_schallentkoppelt_LE_22
02

(1) *Unique identification code of the product-type*
Rigips „Klick Fix“ Direktbefestiger für C-Deckenprofile, schallentkoppelt

(2) *Intended use/es*
Suspended ceiling substructure component for indoor use in buildings
Suspension component (EN 13964)

(3) *Manufacturer*
Saint-Gobain Rigips GmbH
Schanzenstr. 84
D-40549 Düsseldorf

(4) *Authorised representative*
N/A

(5) *System/s of AVCP*
System 3 for the load bearing capacity
System 4 for all other properties

(6a) *Harmonised standard*
EN 13964:2014

Notified body/ies

Instytut Techniki Budowlanej (1488)
Materialprüfungsamt Nordrhein-Westfalen MPA NRW (0432)

(6b) *European Assessment Document*
N/A

European Technical Assessment
N/A

Technical Assessment Body
N/A

Notified body/ies
N/A

(7) Declared performance/s


Essential characteristics	Performance
Reaction to fire (R2F)	A1
Load bearing capacity	400 N
Resistance to fasteners	NPD
Durability	B

(8) Appropriate Technical Documentation and/or Specific Technical Documentation
N/A


The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:


Düsseldorf, 04. February 2022



Raimund Heintl, Managing Director



Dr. Benjamin Kaplan, Director R&D Isover/Rigips Germany

CE	
 Saint-Gobain Rigips GmbH Schanzenstr. 84 D-40549 Düsseldorf	
15	
Rigips „Klick Fix“ Direktbefestiger fuer C Deckenprofile schallentkoppelt LE 2202	
EN 13964:2014 Suspended ceiling substructure component for indoor use in buildings Suspension component (EN 13964)	
Notified body/ies: 1488, 0432	
Reaction to fire (R2F)	A1
Load bearing capacity	400 N
Resistance to fasteners	NPD
Durability	B

