

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 3 (replaces version 2) Revision: 21.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: ProMix Plus

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Construction chemicals

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Rigips GmbH Willstätterstraße 60

D-40549 Düsseldorf

Germany

Phone: +49 (0)211 5503 - 0 forschung-entwicklung@rigips.de

1.4 Emergency telephone number:

+49 (0)30 30686700 Charité Berlin, 24/7

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties

Does not contain substances with endocrine-disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture consisting of the following components.

| Dangerous components: | | |
|---|---|--------|
| CAS: 1317-65-3 EINECS: 215-279-6 Reg.nr.: 01-2119486795-18-xxxx | calcium carbonate substance with a Community workplace exposure limit | 50-75% |
| CAS: 93763-70-3 | Perlite substance with a Community workplace exposure limit | 2-5% |

(Contd. on page 2)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 3 (replaces version 2) Revision: 21.03.2025

Trade name: ProMix Plus

(Contd. of page 1) CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one ≥0.025-<0.036% EINECS: 220-120-9 ♦ Acute Tox. 2, H330; ♦ Eye Dam. 1, H318; Aquatic Acuté 1, H400 (M=1); Aquatic Chronic Index number: 613-088-00-6 1, H410 (M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317 ATE: LD50 oral: 450 mg/kg LC50/4 h inhalative: 0.21 mg/l Specific concentration limit: Skin Sens. 1A; H317:C ≥ 0.036 % substance with a Community workplace exposure limit

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Immediately remove any clothing soiled by the product.

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

After skin contact

Immediately wash with water and soap and rinse thoroughly.

Immediately rinse with water.

After eve contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

(Contd. on page 3)

(Contd. of page 2)



Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 3 (replaces version 2) Revision: 21.03.2025

Trade name: ProMix Plus

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow product to reach sewage system or any water course.

Suppress gases/fumes/haze with water spray.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Store away from foodstuffs.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from heat and direct sunlight.

Protect from freezing.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

| DNELs | | |
|------------|--------------------------|---|
| CAS: 131 | 7-65-3 calcium carbona | te |
| Oral | Derived No Effect Level | 6.1 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 6.36 mg/m³ (worker local long term value) |
| | | 1.06 mg/m³ (consumer local long term value) |
| CAS: 2634 | 4-33-5 1,2-benzisothiazo | ol-3(2H)-one |
| Dermal | Derived No Effect Level | 0.966 mg/kgxday (worker systemic long term value) |
| | | 0.345 mg/kgxday (consumer systemic long term value) |
| Inhalative | Derived No Effect Level | 6.81 mg/m³ (worker systemic long term value) |
| | | 1.2 mg/m³ (consumer systemic long term value) |
| | | (Contd. on page |

... pago 1)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 3 (replaces version 2) Revision: 21.03.2025

Trade name: ProMix Plus

| | | | (Contd. of page 3) |
|------------------|-------------------|--|--------------------|
| PNECs | | | |
| CAS: 2634-33-5 | 1,2-benzisothiaz | ol-3(2H)-one | |
| Predicted No-Eff | ect Concentration | 3 mg/kgxdwt (earth rating factor) | |
| Predicted No-Eff | ect Concentration | 0.000403 mg/l (sea water rating factor) | |
| | | 0.00403 mg/l (fresh water rating factor) | |
| CAS No. / De | esignation of mat | terial / % / Type / Value / Unit | |
| CAS: 1317-65-3 | calcium carbona | te | |
| TWA (Italy) | Long-term value: | 10 mg/m³ | |
| | (e) | | |
| CAS: 93763-70- | 3 Perlite | | |
| LEP (Spain) | Long-term value: | 10 mg/m³ | |
| | е | | |
| TWA (Italy) | Long-term value: | (10) mg/m³ | |
| | (A4 (e)) | | |
| VLE (Portugal) | Long-term value: | 10 mg/m³ | |
| | A4; Irritacao | | |
| | 1,2-benzisothiaz | | |
| MAK (Germany) | vgl.Abschn.IIb un | d Xc | |

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Use a moisturising skin cream after processing the product.

Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device.

In case of intensive or longer exposure use self-contained respiratory protective device.

Hand protection Protective gloves.

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state

Colour:

Odour:

Odour threshold:

Melting point/freezing point:

Liquid

Light grey

Odourless

Not determined.

0 °C (DIN ISO 3016)

Boiling point or initial boiling point and boiling

range 100 °C (DIN, CAS: 7732-18-5 Water)

Flammability Not applicable.

(Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 3 (replaces version 2) Revision: 21.03.2025

Trade name: ProMix Plus

(Contd. of page 4)

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicableAuto-ignition temperature:Not determined.Decomposition temperature:Not determined.

pH ~9

Viscosity:

Kinematic viscosity dynamic:Not determined.
Not determined.

Solubility

Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 48 hPa (DIN 51640, CAS: 7732-18-5 Water)

Density and/or relative density

Density:Not determinedRelative densityNot determined.Bulk density:Not applicable.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Pasty

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test:

EU-VOC (%)

EU-VOC (g/L)

Not applicable.

0.0000 %

0.0000 g/l

Change in condition Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void

(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Version number 3 (replaces version 2) Revision: 21.03.2025 Printing date 07.04.2025

Trade name: ProMix Plus

| | | (Contd. of page 5 |
|-------------------------|------|-------------------|
| Oxidising liquids | Void | |
| Oxidising solids | Void | |
| Organic peroxides | Void | |
| Corrosive to metals | Void | |
| Desensitised explosives | Void | |

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:

| Compo | nents | 1 | Type | 1 | Value | 1 | / Species |
|---------|--------|---------------|-----------|------|-------|---|-----------|
| CAS: 13 | 317-65 | -3 calcium c | arbonate | | | | |
| Oral | LD50 | >2,000 mg/k | (g (Rat) | | | | |
| Dermal | LD50 | >2,000 mg/k | (g (Rat) | | | | |
| CAS: 26 | 34-33 | -5 1,2-benzis | othiazol- | 3(2H |)-one | | |
| Oral | LD50 | 450 mg/kg (| ATE) | | | | |
| Dermal | LD50 | >2,000 mg/k | (g (Rat) | | | | |

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

| Endocrine disrupting properties |
|------------------------------------|
| None of the ingredients is listed. |



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 3 (replaces version 2) Revision: 21.03.2025

Trade name: ProMix Plus

(Contd. of page 6)

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity:

Harmful to aquatic life with long lasting effects (H412).

Harmful to aquatic life with long lasting effects.

| Type of test | Type of test / Effective concentration / Method / Assessment | | | |
|--------------|--|--|--|--|
| CAS: 1317-6 | 5-3 calcium carbonate | | | |
| LC50/96h | >100 mg/l (Fish) | | | |
| EC50/48h | >100 mg/l (aquatic invertebrates) | | | |
| EC50/72h | >14 mg/l (aquatic algae and cyanobacteria) | | | |
| CAS: 2634-3 | 3-5 1,2-benzisothiazol-3(2H)-one | | | |
| LC50/96h | 2.15-22 mg/l (Fish) | | | |
| EC50/48h | 2.9 mg/l (aquatic invertebrates) | | | |
| EC50/72h | 0.07-0.15 mg/l (aquatic algae and cyanobacteria) | | | |
| NOEC (72h) | 0.0403-0.055 mg/l (aquatic algae and cyanobacteria) | | | |

12.2 Persistence and degradability No further relevant information available.

| Method | |
|---|--|
| CAS: 1317-65-3 calcium carbonate | |
| Biod. (28 days) >90 % | |
| 12.3 Bioaccumulative potential | |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one | |
| EBAB 0.7 log Pow | |

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances. **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects Remark: Harmful to fish

Behaviour in sewage processing plants:

| Type of test / Effective concentration / Method / Assessment |
|--|
| CAS: 1317-65-3 calcium carbonate |
| EC 50 (3h) >1,000 mg/l (microorganisms) |
| CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one |
| EC 50 (3h) 12.8-24 mg/l (microorganisms) |

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

-...



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 3 (replaces version 2) Revision: 21.03.2025

Trade name: ProMix Plus

(Contd. of page 7)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue

17 09 04 mixed construction and demolition wastes other than those mentioned in 17 09 01, 17 09 02 and 17 09 03

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. **Recommended cleaning agent:** Water, if necessary together with cleansing agents.

| SECTION 14: Transport informa | tion |
|---|------------------------|
| 14.1 UN number or ID number ADR, IMDG, IATA | Void |
| 14.2 UN proper shipping name ADR, IMDG, IATA | Void |
| 14.3 Transport hazard class(es) | |
| ADR, ADN, IMDG, IATA Class | Void |
| 14.4 Packing group ADR, IMDG, IATA | Void |
| 14.5 Environmental hazards: | Not applicable. |
| 14.6 Special precautions for user | Not applicable. |
| 14.7 Maritime transport in bulk accordi IMO instruments | ing to Not applicable. |
| UN "Model Regulation": | Void |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

(Contd. on page 9)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 3 (replaces version 2) Revision: 21.03.2025

Trade name: ProMix Plus

(Contd. of page 8)

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

Department issuing SDS: Ladenburg Development Center (LDC)

Contact:

Gypsum Development +49 (0)621 4701 - 691

forschung-entwicklung@rigips.de

(Contd. on page 10)



according to Regulation (EC) No 1907/2006, Article 31

Revision: 21.03.2025 Printing date 07.04.2025 Version number 3 (replaces version 2)

Trade name: ProMix Plus

(Contd. of page 9)

Date of previous version: 28.04.2022 Version number of previous version: 2

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 2: Acute toxicity – Category 2

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aguatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.