Revision: 27.02.2025



Safety Data Sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025

Version number 4 (replaces version 3)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: Rigips VARIO Sicherheitsgrundierung

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

Application of the substance / the mixture Priming

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Saint-Gobain Rigips GmbH Willstätterstraße 60

D-40549 Düsseldorf

Germany

Phone: +49 (0)211 5503 - 0 forschung-entwicklung@rigips.de

1.4 Emergency telephone number:

+49 (0)30 30686700 Charité Berlin, 24/7

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified according to the CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Precautionary statements

P101 If medical advice is needed, have product container or label at hand.

Additional information:

EUH208 Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of 5-chloro-2- methyl-2H-isothiazol-3- one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Does not contain PBT substances.

vPvB: Does not contain vPvB substances.

Determination of endocrine-disrupting properties

Does not contain substances with endocrine-disrupting properties.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with non hazardous additions.

(Contd. on page 2)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 4 (replaces version 3) Revision: 27.02.2025

Trade name: Rigips VARIO Sicherheitsgrundierung

		(Contd. of pa
Dangerous components:		
CAS: 2634-33-5 EINECS: 220-120-9 Index number: 613-088-00-6	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1A, H317 ATE: LD50 oral: 450 mg/kg	<0.025%
CAS: 55965-84-9 Index number: 613-167-00-5	reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1) Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Note: B Specific concentration limits: Skin Corr. 1C; H314:C \geq 0.6 % Skin Irrit. 2; H315: 0.06 % \leq C $<$ 0.6 % Eye Dam. 1; H318: C \geq 0.6 % Eye Irrit. 2; H319: 0.06 % \leq C $<$ 0.6 % Skin Sens. 1A; H317: C \geq 0.0015 % substance with a Community workplace exposure limit	≥0.00025-<0.001

SVHC Void

Additional information For the wording of the listed hazard statements refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

Remove the victim immediately from the danger area. If the patient is unwell consult a doctor and present this data sheet.

After inhalation Supply fresh air; consult doctor in case of complaints.

After skin contact Generally the product does not irritate the skin.

After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. Rinse liquid should be tempered (20-30°C).

After swallowing Rinse mouth. DO NOT induce vomiting. If symptoms persist consult a doctor.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

EUG



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 4 (replaces version 3) Revision: 27.02.2025

Trade name: Rigips VARIO Sicherheitsgrundierung

(Contd. of page 2)

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

5.2 Special hazards arising from the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures Not required.

6.2 Environmental precautions:

Do not drain into drains or public waters. Alert the relevant authorities if the liquid enters a sewer or open water enters.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling No special precautions are necessary if used correctly. **Information about fire - and explosion protection:** No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Store only in unopened original receptacles.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

DNELs		
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one		
Dermal	Derived No Effect Level	0.966 mg/kgxday (worker systemic long term value)
		0.345 mg/kgxday (consumer systemic long term value)
Inhalative	Derived No Effect Level	6.81 mg/m³ (worker systemic long term value)
		1.2 mg/m³ (consumer systemic long term value)
		(Contd. on page A

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 4 (replaces version 3) Revision: 27.02.2025

Trade name: Rigips VARIO Sicherheitsgrundierung

Oral	Derived No Effect Level	0.09 mg/kgxday (consumer systemic long term value)
		0.02 mg/m³ (worker local long term value)
IIIIalativo	Derived No Elicot Level	0.02 mg/m³ (consumer local long term value)
PNECs		1
CAS: 263	4-33-5 1,2-benzisothiaz	ol-3(2H)-one
Predicted	No-Effect Concentration	3 mg/kgxdwt (earth rating factor)
Predicted	No-Effect Concentration	0.000403 mg/l (sea water rating factor)
		0.00403 mg/l (fresh water rating factor)
CAS: 559		of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500 H-isothiazol-3- one [EC no. 220-239-6] (3:1)
Predicted	No-Effect Concentration	0.01 mg/kgxdwt (earth rating factor)
Predicted	No-Effect Concentration	0.00339 mg/l (sea water rating factor)
		0.00339 mg/l (fresh water rating factor)
CAS	No. / Designation of mat	erial / % / Type / Value / Unit
CAS: 263	4-33-5 1,2-benzisothiaz	ol-3(2H)-one
MAK (Ger	many) vgl.Abschn.llb un	d Xc

8.2 Exposure controls

Appropriate engineering controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Respiratory protection: Not required.

Hand protection Not required.

Eye/face protection Goggles recommended during refilling

Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Physical state Liquid Colour: Blue Odour: Light

Odour threshold: Not determined.

Melting point/freezing point: Undetermined.

(Contd. on page 5)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 4 (replaces version 3) Revision: 27.02.2025

Trade name: Rigips VARIO Sicherheitsgrundierung

(Contd. of page 4)

Boiling point or initial boiling point and boiling

range 100 °C (DIN, aqueous dispersion of a copolymer

based on styrene and acrylic acid ester)

Flammability Not applicable.

Lower and upper explosion limit

Lower:Not determined.Upper:Not determined.Flash point:Not applicableAuto-ignition temperature:Not determined.Decomposition temperature:Not determined.

pH ca. 8

Viscosity:

Kinematic viscosity dynamic:Not determined.
Not determined.

Solubility

Water: Fully miscible Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 23 hPa (DIN 51640, aqueous dispersion of a

copolymer based on styrene and acrylic acid ester)

Density and/or relative density

Density:Not determinedRelative densityNot determined.Bulk density:Not applicable.Vapour densityNot determined.

9.2 Other information

Appearance:

Form: Dispersion

Important information on protection of health

and environment, and on safety.

Ignition temperature: Product is not self-igniting.

Explosive properties: Product does not present an explosion hazard.

Minimum ignition energy

Solvent separation test:Not applicable.EU-VOC (%)0.0000 %EU-VOC (g/L)1.0000 g/l

Change in condition

Softening point/range

Oxidising properties Not determined. Evaporation rate Not determined.

Information with regard to physical hazard

classes

Explosives Void Flammable gases Void **Aerosols** Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void

(Contd. on page 6)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 4 (replaces version 3) Revision: 27.02.2025

Trade name: Rigips VARIO Sicherheitsgrundierung

(Contd. of page 5) **Pyrophoric liquids** Void **Pyrophoric solids** Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void **Oxidising liquids** Void **Oxidising solids** Void Organic peroxides Void Corrosive to metals Void **Desensitised explosives** Void

SECTION 10: Stability and reactivity

10.1 Reactivity No further relevant information available.

10.2 Chemical stability Stable at recommended storage conditions

Thermal decomposition / Conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions No dangerous reactions known

10.4 Conditions to avoid No further relevant information available.

10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met. LD/LC50 values relevant for classification:

Compone	ents	/ Type / Value / Species
aqueous	dispersio	of a copolymer based on styrene and acrylic acid ester
Oral	LD50	>2,000-10,000 mg/kg (Rat)
CAS: 263	4-33-5 1,2	benzisothiazol-3(2H)-one
Oral	LD50	450 mg/kg (ATE)
Dermal	LD50	>2,000 mg/kg (Rat)
CAS: 559		action mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] d 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)
Oral	LD50	457 mg/kg (Rat)
Dermal	LD50	660 mg/kg (Rabbit)
Inhalative	LC50/4 h	2.36 mg/l (Rat)

Primary irritant effect:

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Sensitising effect by skin contact is possible by prolonged exposure.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

(Contd. on page 7)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 4 (replaces version 3) Revision: 27.02.2025

Trade name: Rigips VARIO Sicherheitsgrundierung

(Contd. of page 6)

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity: Not classified as harmful to aquatic life

Type of test / Effective concentration / Method / Assessment			
CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one			
LC50/96h	2.15-22 mg/l (Fish)		
EC50/48h	2.9 mg/l (aquatic invertebrates)		
EC50/72h	0.07-0.15 mg/l (aquatic algae and cyanobacteria)		
NOEC (72h)	0.0403-0.055 mg/l (aquatic algae and cyanobacteria)		
CAS: 55965-	CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7]		
	and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)		
LC50/48h	0.18 mg/l (Daphnia magna)		
LC50/96h	0.282 mg/l (Daphnia magna)		
	0.19-0.3 mg/l (Fish)		
EC50/24h	0.109 mg/l (Daphnia magna)		
	0.0107 mg/l (aquatic algae and cyanobacteria)		
EC50/48h	0.16 mg/l (Daphnia magna)		
	0.0181-0.0371 mg/l (aquatic algae and cyanobacteria)		
EC50/96h	0.0357 mg/l (aquatic algae and cyanobacteria)		
EC50/72h	0.0063-0.0273 mg/l (aquatic algae and cyanobacteria)		
NOEC (14d)	0.035 mg/l (Daphnia magna)		
NOEC (21d)	0.011-1.05 mg/l (Daphnia magna)		
NOEC (28d)	0.098 mg/l (Fish)		

12.2 Persistence and degradability No further relevant information available.

12.3	Bioaccumu	lative	potential
------	-----------	--------	-----------

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EBAB 0.7 log Pow

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EBAB 0.75 log Pow

12.4 Mobility in soil No further relevant information available.

12.5 Results of PBT and vPvB assessment

PBT: Does not contain PBT substances. **vPvB:** Does not contain vPvB substances.

(Contd. on page 8)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 4 (replaces version 3) Revision: 27.02.2025

Trade name: Rigips VARIO Sicherheitsgrundierung

(Contd. of page 7)

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

Behaviour in sewage processing plants:

Type of test	Effective concentration	/ Mothod	Assassmont
I VUE UI LESL/	Ellective concentration	/ WELLIOU	ASSESSIIIEIII

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC 50 (3h) 12.8-24 mg/l (microorganisms)

CAS: 55965-84-9 reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)

EC 50 (3h) 4.5 mg/l (microorganisms)

Additional ecological information:

General notes: Do not allow product to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

European waste catalogue

08 01 20 aqueous suspensions containing paint or varnish other than those mentioned in 08 01 19

Uncleaned packaging:

Recommendation:

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning. **Recommended cleaning agent:** Water, if necessary together with cleansing agents.

SECTION 14:	Transport	informat	tion

Void	
Void	
Void	
Vaid	
Vold	
Void	
Not applicable.	
Not applicable.	
14.7 Maritime transport in bulk according to	
Not applicable.	
Void	
	Void Void Not applicable. Not applicable. ing to Not applicable.

EUG



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 4 (replaces version 3) Revision: 27.02.2025

Trade name: Rigips VARIO Sicherheitsgrundierung

(Contd. of page 8)

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 1907/2006 (REACH) (Candidate List, Annexes XIV and XVII)

Regulation (EC) No 1272/2008 (CLP)

Regulation (EU) 2020/878 (amending REACH Annex II on the compilation of safety data sheets)

Labelling according to Regulation (EC) No 1272/2008 cf. section 2

Directive 2012/18/EU

Named dangerous substances - ANNEX I None of the ingredients is listed.

REGULATION (EU) 2017/852 on mercury (Annex I)

None of the ingredients is listed.

REGULATION (EU) 2019/1021 on persistent organic pollutants (POP)

None of the ingredients is listed.

Regulation (EU) No 649/2012

None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

REGULATION (EU) 2024/590 on substances that deplete the ozone layer

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

Relevant phrases

The following list of relevant hazard statements is the full text of hazard statements mentioned elsewhere in this safety data sheet (in particular in the section 3) and is reported as required by the Regulation (EC) No 1907/2006 (REACH), Annex II, and the following amendments (Regulation (EU) 2020/878). The statements mentioned here do not refer to the product itself, but refer to the individual ingredients in the products, and are provided for information.

(Contd. on page 10)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 07.04.2025 Version number 4 (replaces version 3) Revision: 27.02.2025

Trade name: Rigips VARIO Sicherheitsgrundierung

(Contd. of page 9)

11004	T
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.

EUH071 Corrosive to the respiratory tract.

Department issuing SDS: Ladenburg Development Center (LDC)

Very toxic to aquatic life with long lasting effects.

Contact:

H410

Gypsum Development +49 (0)621 4701 - 691

forschung-entwicklung@rigips.de

Version number of previous version: 3

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organisation

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern (REACH regulation)

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 4: Acute toxicity - Category 4

Acute Tox. 2: Acute toxicity - Category 2

Skin Corr. 1C: Skin corrosion/irritation - Category 1C

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

* Data compared to the previous version altered.

According to Annex II of the REACH regulation, the modified sections in this version of the Safety Data Sheet in comparison with the previous one are marked with asterisks.